

Grain Augers

Complete
Auger Feed
Systems
available - Ask us
today!



SPOA
PA154+FWH+075M

Pencil Augers

- Fill feed out trailer and seed cleaners
- Optional electric engine. Single phase or 3 phase
- Comes ready to assemble
- Available with or without 400x8 wheels
- Telescopic height adjustment



Frame Without Wheels



Electric Motor Mount

Description	10'	12'	15'	20'	25'	30'
4" (100mm)	\$POA	\$POA	\$POA	\$POA	\$POA	\$POA
Motor Size*	0.75kw	0.75kw	0.75kw	1.1kw	1.5kw	1.5kw
TPH 7-10	PA104	PA124	PA154	PA204	PA254	PA304
5" (125mm)	\$POA	\$POA	\$POA	\$POA	\$POA	\$POA
Motor Size*	0.75kw	1.1kw	1.5kw	2.25kw	3.0kw	3.0KW
TPH 12-15	PA105	PA125	PA155	PA205	PA255	PA305
6" (150mm)	\$POA	\$POA	\$POA	\$POA	\$POA	\$POA
Motor Size*	1.5KW	1.5KW	2.25KW	3.0KW	3.75KW	4.5KW
tpH 25-30	PA106	PA126	PA156	PA206	PA256	PA306

* MOTOR SIZE AS A GUIDE ONLY. NOT INCLUDED IN PRICE

DESCRIPTION	Code	Price (inc GST)
Frame for Pencil Auger without Wheels	FWOW	\$POA
Frame for Pencil Auger Standard Wheels	FWH	\$POA
Frame for Pencil Auger Highway Wheels	FWHHW	\$POA
Clamp with Bolts welded on. (4'5'6")	CLB 4,5,6	\$POA
Clamp No Bolts (4'5'6")	CLA 4,5,6.	\$POA
Intake Choke (4'5'6")	CHO 4,5,6.	\$POA
Motor 3/4 Hp (0.5kw) with mounting foot.	034M	\$POA
Motor 1 Hp (0.75kw) with mounting foot.	075M	\$POA
Motor 1.5 Hp (1.1kw) with mounting foot.	110M	\$POA
Motor 2.0 Hp (1.5kw) with mounting foot.	150M	\$POA
Motor 2.2 Hp (1.7kw) with mounting foot.	220M	\$POA
Motor 3.0 Hp (2.25kw) with mounting foot.	225M	\$POA

Grain Commander Mini Augers

The Mini series auger is an ideal unit for the large farmer who does not want to tie up his main auger or spend extra money on another large auger. It has some similar features to the large auger at only a fraction of the cost. The petrol powered engine is situated underneath the auger barrel and a line shaft delivers the power to the top. Comes complete with hopper and 400 x 8 tyres and a winch for raising and lowering.



SPOA
MA306

BARREL SIZE	25' (7.5 Mtrs)	30' (9.0 Mtrs)
5" (125MM)	\$POA	\$POA
MOTOR PETROL	4HP	4HP
TPH 12-15	MA255	MA305
6" (150MM)	\$POA	\$POA
MOTOR PETROL	5.5HP	5.5HP
TPH 25-30	MA256	MA306

IMAGE SHOWN WITH OPTIONAL HIGHWAY WHEELS



SPOA
MA255

Disclaimer: Prices and specification in this catalogue could change without notice to keep in line with our continuous product improvement and fluctuations in material prices. Galvanised means galvanised material with cold galv painted welds and black steel.



Grain Augers



**51x10 with
Standard SP
35hp Vanguard**



AUSTRALIAN MADE

Ask about our
**ON-FARM
DELIVERY**
today!

Mobile Grain Augers

The GRAIN COMMANDER range of augers offers reliable, efficient and trouble free operation. Operator safety, practicality and efficiency have all been considered in the design. Only top quality Australian recognised parts are used.



Cupped Edge Flighting

Augers available as a Basic unit, Ezy Lift Option, or Self Propelled model. The SP model includes hydraulic wheel drive, intake end lift and main lift. All motor types & power options available; Honda, Vanguard, Kohler. Diesel engines or PTO.



Oil Bath Final Drive

BARREL SIZE	BARREL					
	7"	8"	9"	10"	11"	13"
37'	37x7	37x8	37x9	37x10	37x11	37x13
41'	41x7	41x8	41x9	41x10	41x11	41x13
46'		46x8	46x9	46x10	46x11	46x13
51'		51x8	51x9	51x10	51x11	51x13
56'			56x9	56x10	56x11	56x13
61'				61x10	61x11	61x13



Disclaimer: Prices and specification in this catalogue could change without notice to keep in line with our continuous product improvement and fluctuations in material prices. Galvanised means galvanised material with cold galv. painted welds and black steel.

Grain Augers

Auger Features:

- Cupped edge flighting for better pickup
- Reversible gear box for changing variety and cleaning out auger
- Australian stud patterns highway rated wheels
- Quick - attach tow hitch
- Unique engine assembly - stays at a convenient height at all times
- Oil bath final drive assembly - longer lasting chains and sprockets
- One piece barrel and flighting
- Precision round spiral wound barrel
- Stretch fitted flighting - smoother operation, less contamination
- Non-hollow main drive shaft - longer lasting
- Machined driveline couplings - less vibrations
- Chemical applicator fitting in the barrel
- Handles attached to the barrel for easy handling
- Fully guarded for your protection
- 25 litre fuel tank on all augers with twin cylinder engines
- Hopper mount - augers from 51' and up
- Hydraulic elevation, intake end lift and steering on self propelled models

Auger Specifications:

Length		Lift Height	
34'	10.4m	23'	7.0m
37'	11.3m	24'	7.3m
41'	12.5m	27'	8.2m
46'	14.0m	31'	9.4m
51'	15.5m	34'	10.4m
56'	17.0m	36' 1	1.0m

CAPACITY:

7"	60TPH
9"	110TPH
10"	160TPH
11"	205TPH



**46x9 with
steer kit
SP option 23hp**



4 wheels for greater stability



Simple engine assembly



Emergency stop

Disclaimer: Prices and specification in this catalogue could change without notice to keep in line with our continuous product improvement and fluctuations in material prices. Galvanised means galvanised material with cold galv painted welds and black steel.



Grain Augers & Tube Conveyors



71x11 PTO Side Feed
Swing Away

GRAIN
commander

Ask about the
NEW
SCISSOR LIFT
design!



AUSTRALIAN MADE

OPTIONS:

- Mechanical side feed
- Long reach
- Removable hopper
- PTO driven
- New scissor lift design

BARREL SIZE	10"	11"	13"
71'	71x10	71x11	71x13
Cap TPH	160	205	250
81'	81x10	81x11	81x13
Cap TPH	160	205	250

Tube Belt Conveyors

The NEW Grain Commander Tube Conveyor is available in most sizes from 46' (14m) to 71' (21.5m). Belt size is standard 15". Ideal for fertilizer. Simple robust construction.



56x15 Tube Conveyor



Open discharge chute



Simple, accessible engine bay



Closed discharge chute



Flexible intake hopper

Features

- 1 Adjustable discharge chute
- 2 Engine belt drive
- 3 Self propelled wheel drive option
- 4 Removable tow hitch
- 5 Flexible intake hopper
- 6 'S' drive roller system

Disclaimer: Prices and specification in this catalogue could change without notice to keep in line with our continuous product improvement and fluctuations in material prices. Galvanised means galvanneal material with cold galv painted welds and black steel.



Grain Testing Equipment

Grain Shovels

DESCRIPTION	Code	Price (inc GST)
Poly Grain Shovel - wooden handle	PGS	\$POA
Aluminium Grain Shovel	AGS	\$POA
Fjord Loadmax Poly Shovel	FJPGS	\$POA



\$POA
PGS



\$POA
AGS



\$POA
FJPGS

Auger Chutes

Description	Code	Price (inc GST)
Auger Chute Large (square to round)	DS911	\$POA
5 in 1 Discharge Chute Double	SD5121	\$POA
5 in 1 Discharge Chute Single	SD5111	\$POA



DS911




DS5121



DS5111

Sampling Spears & Sieves

DESCRIPTION	Code	Price (inc GST)
Grain Sampling Spear 2m	GS20	\$POA
Grain Sampling Spear 1.5m	GS15	\$POA
Grain Sieve Set	GSS	\$POA
Extra Sieve	SVE	\$POA
Grain Sieve Set - Certified	GSSC	\$POA



GSS

GS20

GS15

Weigh Scales & Moisture Meters

DESCRIPTION	Code	Price (inc GST)
Draminski Moisture Meter	DMM	\$POA
Grain Weight Scale	GWS	\$POA
Fertilizer Density Scale	FAS	\$POA
Digital Grain Scale	GAE	\$POA
Wile Hay & Silage Moisture meter	W26/251	\$POA



GWS

FAS


DMM

W26/251

GAE

Poly Hoppers

Description	Code	Price (inc GST)
Standard Poly Hopper	BLJHOP	\$POA
Pencil Auger Hopper	PAHOP	\$POA
Silo Boot Hopper with Stand	SBHST	\$POA



BLJHOP

SBHST


PAHOP

Grain Handling Accessories

Auger Parts

Description	Code	Price (inc GST)
Cable Pulley Guard	CSG	\$POA
Final Drive Oil Bath Cover	OILBATH	\$POA
Winch Guard	WGS	\$POA
Hydraulic Oil Tank	HT	\$POA
Auger Belt Guard	LBG	\$POA
2600LB Winch	BHW2600	\$POA
1800LB Winch	BHW1800	\$POA
Standard Reversible Gear Box	SRS16	\$POA
Large Reversible Gear Box	3941-001	\$POA
25 Litre Fuel Tank	FUELTANK25L	\$POA
12 Litre Fuel Tank	FUELTANK12L	\$POA
60-1-36 Tooth Sprocket	60136	\$POA
30-1-11 Tooth sprocket	60111	\$POA
60-1 Chain per foot (3' per auger)	601CH	\$POA
102B 45 Tooth Duplex Sprocket	102B45	\$POA
102B 15 Tooth Duplex Sprocket	102B15	\$POA
102B Chain per foot (3' per auger)	102BCH	\$POA

Description	Code	Price (inc GST)
Nylon Chain Block	NCB	\$POA
Final Drive Kit 60-1 complete	FDK601	\$POA
Final Drive Kit 50-2 complete	FDK502	\$POA
UC207-20 1" 1/4 Bearing	UC207-20	\$POA
FC 207 Bearing Flange	FC207	\$POA
F207 Bearing Flange	F207	\$POA
LF 205 Bearing Flange	LF205	\$POA
52 MS Bearing Flange Plate (set 2)	52MS	\$POA
1" Shaft Joining Sleeve with Studs	SLEEVE1INCH	\$POA
1" x 1 1/2" Shaft Joining Sleeve	SLEEVE1-1.5	\$POA
Auger Top Stub Shaft 1 1/4"	TSSTD	\$POA
Auger Bottom Stub Shaft 1"	BSSTD	\$POA
14" Ford Stud Rim	RIM14-6ALKO	\$POA
400 x 8 Hwy Rated Tyre & Rim	400-8HWYWH	\$POA
B 240 V Belt (Series 3 Auger)	B240	\$POA
B 204 V Belt (Series 2 Auger)	B204	\$POA



Disclaimer: Prices and specification in this catalogue could change without notice to keep in line with our continuous product improvement and fluctuations in material prices. Galvanised means galvanised material with cold galv painted welds and black steel.

